

THE INNOVATION LEADER
OF ANIMAL MEDICINE

维尔利集团 GROUF



Address: 16-B, Lecheng Business Center,

NO.260 Huai'an Road , Shijiazhuang , Hebei, China.

Postcode: 050020

TEL: 0086-0311-89265710
FAX: 0086-0311-68052865
Email: info@victorypharm.com
Website: www.victorypharm.com



### Product for poultry About us







### 维尔利集团研究院正式成立开启了科技创新的新纪元.

Weierli Group has formally established a research Institution that opens a new era of scientific and technological innovation!

### 研究院聚集行业众多硕博学位的专业科研人才

Institution gathered a great many professional talented researchers with master's or doctor's degrees

#### 和一支庞大的权威专家顾问团

and a large group of expert advisory authority

#### 分别与美国圣迭戈大学生命科学院

Joint and aligned with San Diego University of Life Sciences school

#### 韩国首尔大学生命科学院

Seoul National University of Life Sciences school

### 中国农业大学、南京农业大学、

China Agricultural University, Nanjing Agricultural University, 东北农业大学、河北农业大学、

Northeast Agricultural University, Hebei Agricultural University,

#### 西南大学、江西中医药大学等院校建立校企联合

Southwest University, Jiangxi University of Traditional Chinese Medicine and other colleges, enterprises and institutions separately.

### 先后成功开发了新兽药10余个

We have successfully developed more than 10 types of new veterinary drugs,

### 多个产品获得国家专利

A great number of products have obtained national patents.

### 集团公司下辖四家实体企业

Group administered four entities

#### 一家商贸公司及一个事业部

One trading company and one business department

### 形成一个集团六驾马车并驾齐驱

Formed a group to keep pace with six carriages

#### 产业涉及兽药、原料、饲料、

Industries involved in veterinary medicine, raw materials, feed,

### 塑料包装、养生保健等领域,

Plastic packaging, and health care fields,

#### 形成多品类、多品牌齐头并进

Multi-category, multi-brand moving forward together.

### 线上线下、国际国内兼容并蓄的发展态势

Online and offline, international and domestic inclusive development trend

### 为提升集团的品牌核心竞争力

To enhance the Group's brand core competitiveness

### 维尔利集团以药品质量为生命

Weierli Group consider the drug quality as life

### 坚持"质量控制从源头抓起"的生产理念

Remain committed to the production concept of "quality control start from the source."

#### 严格控制原料检验到成品生产的每一个环节

Strictly control each step from raw material testing to finished products

#### 加强培训 定期考核

Strengthened training and regulated assessment

#### 让GMP成为每一个员工的最低标准

We let GMP become the minimum standard for each employee

### 结合现代化制药工艺和数字化控制技术

Combined with modern pharmaceutical technology and digital control technology

#### 从而实现了产品的安全性、有效性、稳定性

In order to achieve the product's safety, effectiveness, and stability

### 优势产品已打入欧洲、美洲、亚洲、非洲市场

Our advantageous products have already entered into Europe, America, Asia, Africa market

### 兽药、塑包市场占有率稳居国内前五名

Veterinary medicine, plastic bag is stably ranking top five in domestic market share

### 全国拥有优质经销商干余家

We have more than one thousand high-quality dealers all over the country

### 规模养殖户数万家

and we have thousands of large scale farming households

### 先后与国内百余家知名企业建立了长期战略合作关系

We have established long-term strategic partnership with hundreds of well-known domestic enterprises.

### **Feed Additives**

Layer biomix

微生态制剂-蛋禽

Broiler biomix

Probiotic

微生态

微生态制剂-肉禽 Vicbinzy Powder

固体生态宝

Bdellovbrio Plus

肠小乐

Egg/weight stimulant

促产蛋/生长

Egg Booster 优蛋宝贝

Broiler growth booster

增福2020

Golden Multivitamins

高稳复合多维 Super VC-25 25%VC可溶性粉

Vitamins B Complex Oral

复合VB口服液

Mineral Peck Block

Nutrient supplement

禽啄砖

营养保健类

Ve+Se liquid supplement

VE+硒口服液 Vitamin AD3E Oral AD3E口服液

Mineraminovit liquid

多维+氨基酸+矿物质口服液VE+硒口服液

Liver Tonic 保肝口服液

Cough Expectorant

止咳化痰类

MARKAN

Multi-Bromint 薄荷溴己新口服液 Respiminto Oral 薄荷口服液

### **Drugs**

Tylo-Doxy

泰乐-多西可溶性粉

LincoSpectin 100

林可大观可溶性粉

OTC 20

盐酸土霉素可溶性粉20%

Sul-TMP 48

Antibiotic

磺胺嘧啶40%-甲氧苄啶8%

抗生素类 SPRI POLVO

螺旋霉素可溶性粉

Enro B

恩诺沙星口服液

TIMI 25

替米考星25%口服液

Enro-coli 100

恩诺沙星-粘菌素可溶性粉

Toltrazuril 1.0/2.5/5.0 liquid

妥曲珠利口服液

Diclazuril 1.0/2.5/5.0 liquid

Anticoccidial

驱虫类

Antivisual

地克珠利口服液

Fenbendazole premix 芬苯达唑预混剂(内外驱)

Salinomycin 12 盐霉素12%预混剂

Shuanghuanglian oral liquid

双黄连口服液

抗病毒类 Vic-Antivisual solution

抗立宝

### Disinfectant

Photocatalysis nano-SiO2 powder

撒立安

povidone-iodine solution

聚维酮碘消毒剂 BZK-PHMB solution 戊二醛-癸甲溴铵消毒剂

Potassium monopersulfate

过硫酸氢钾

# FEED ADDITIVES PROBIOTIC



### LAYER BIOMIX



### Composition(per 1g)

Viable bacteria(Enterococcus faecalis, Bacillus subtilis, Lactobacillus acidophilus) ≥ 1×109 cfu

### **Efficacy**

Improve egg quality/Increase feed conversion/Modulate gut microbiota/Enhances resistance to diseases/Increases tolerance towards stresses

#### Dosage

1kg/ton of feed.

### Package

1Kg/bag \* 15 bags/carton or as your requirements





### Composition(per 1g)

Viable bacteria(Enterococcus faecalis, Bacillus subtilis, Lactobacillus acidophilus) ≥ 1×10<sup>9</sup> cfu

### **Efficacy**

Improve growth performance/ Improve carcass quality/Modulate gut microbiota/Enhance resistance to diseases.

### Dosage

1g/2L of drinking water.

### Package

1Kg/bag \* 15 bags/carton or as per your requirements



### VICBINZY POWDER



### Composition(per 1g)

Clostridium butyricum≥5.0×10<sup>7</sup>cfu

Bacillus subtilis≥1.0×109cfu

Lactobacillus delbrueckii subsp≥1.0×109cfu

### **Efficacy**

Improve metabolism and activation/Improve immunity/Improve feed efficiency/Decrease the offensive odor and harmful gas

### Dosage

0~3 days: 1kg/ 500kg of feed for 7-10 days.

Others: 1kg/1 ton of feed.

### **Package** 1Kg, 5kg





### Composition(per 1g)

Viable bacteria (Bdellovibrio Bacteriovorus, Clostridium Butyricum) ≥6.0×10<sup>7</sup>cfu **Efficacy** 

### Anti-diarrhea/Enhance-Immunity

Kill pathogenic bacterium/Improve function of digestive organ and intestine

500mL/500L of drinking water, for 5-7 days

### **Package**

500mL/bottle, 30 bottles/carton



### EGG BOOSTER



### Composition

Phytase, Bacillus subtilis, Prebiotics, Multi-vitamins, Peptides streptozotocin, Immunocopentent peptide(ICP)

### **Efficacy**

Improve eggshell quality/Promote the absorption of nutrition/improve feed intake/Improve the digestibility of phosphorus.

### Dosage

1kg/1 ton of feed, for 5-10 days a course.

It shows better effect by longtime usage.

### Package

1Kg/bag \* 15 bags/carton or as per your requirements



### Composition

Growth factor peptide(GHRP-2), Vitamins.

### **Efficacy**

Promote rapid weight gain and reduce mortality/Improve geed efficacy productivity and the quality of meat

### Dosage

Mix feed: 400g mix 1ton feed Mix water: 100g mix 500L water

Begin use on 20th days age till slaughter

### Package

1Kg/bag \* 15 bags/carton or as per your requirements



### **GOLDEN MULTIVITAMINS**



### Composition(per Kg)

Vitamin A	1,500,0001
Vitamin D3	150,000IU
Vitamin E	1,500mg
Vitamin K3	300mg
Vitamin B1	300mg
Vitamin B2	300mg
Vitamin B6	500mg
D-Calcium Pantothenate	1,000mg
Folic Acid	300mg
Biotin	10mg
Lysine	700mg
Nicotinic Acid	500ma

### **Efficacy**

Prevent vitamin deficiency;

Enhance the body resistance to diseases;

Prevent and rescue stress reactions.

### Dosage

100g/40L of drinking water once a day.

### **Package**

100g, 500g, 1kg, 25kg







### Composition (per 1g)

Vitamin C(Ascorbic acid) 250mg

### **Efficacy**

Adjuvant treatment of IB, ILT, Influenza, atypical ND and various respiratory disease or bleeding symptoms.

Strengthen resistance, improve metabolism

Enhance the detoxification effect.

### Dosage

500g/2000L of drinking water

### **Package**

1kg per bag\*24bags per carton



# FEED ADDITIVES NUTRIENT SUPPLEMENT



### **VITAMINS B COMPLEX ORAL**



### Composition (per 1mL)

Vitamin B110mg	Vitamin B212mg	Vitamin B522mg
Vitamin B68mg	Vitamin B810mg	Vitamin B910mg
Vitamin B1230mcg	Essential Amino Acids, etc.	

### **Efficacy**

Fulfill daily B-complex requitement. Improve growth, production, fertility, laying performance and provide strength to bones and muscles. Prevents lameness, dermatitis and anemia in the birds.

### Dosage

poultry, swine: 10-30ml per 1 litre drinking water for 3-5 days.calves, cattle: 30-70ml for 3-5 days.

goats and sheep: 7-10ml for 3-5 days.

### Package

500ml, 1L



### Composition

Vitamins, amino acids, minerals, xylanase, cellulase, etc.

### **Efficacy**

Quickly supply the trace elements, vitamins, amino acids, minerals for poultry, promote the growth, and has the effect of red crown, beautiful feathers and enhancing vitality.

Attract poultry to peck brick attraction, prevent pecking, pecking anus, pecking tail occur, prevent fighting each other.

### Dosage

1 block for 1,000 chickens.

### **Package**

1 kg/block



### VE+SE LIQUID SUPPLEMENT



### Composition(per 1ml)

Vitamin E	100mg
Selenium	100mg

### **Efficacy**

Eliminate slow growth and lack of fertility.

Prevent and treat muscular dystrophy (White Muscle Disease, Stiff Lamb Disease) in cattle, sheep, goats, pigs and poultry

### Dosage

500~1500 ml per 1L of drinking water, or as a single oral drench.

### **Package**

500ml, 1L, 5L





### Composition(per 1mL)

VA	 	 200MIU
VD3	 	 10MIU
VE	 	 4mg

### **Efficacy**

Increase of fertilization rate, hatching rate of breeder. Increase resisting power against disease. Strengthening vitality of Chick. Prevent stress.

### Dosage

Chick: 5ml pre 100 birds;

Grower, finisher: 7.5ml per 100 birds; Layer, breeder: 12.5ml per 100 birds.

Administer the above dose diluted in drinking water.

### **Package**

# FEED ADDITIVES NUTRIENT SUPPLEMENT



## MINERAMINOVIT LIQUID

### Composition (per 1mL)

Vitamin A12,000IU	Vitamin D33,000IU	Vitamin E10mg
Vitamin K1mg	Vitamin B12mg	Vitamin B21.5mg
Vitamin B61.5mg	Vitamin B120.01mcg	Vitamin H0.01mcg
Choline Chloride8mg	Inositol5.2mg	Essential Amino Acids563.5mg
Magnesium1mg	Cobalt0.02mg	Copper0.1mg
Zinc0.1mg	Manganese0.1mg	

### **Efficacy**

Necessary for nutrition and normal growth.

The best product to get important results in weight increasing, quality and quantity of eggs especially in breeders eggs and in activation of biological functions in bird.

For livestock like cows, camels, horses, sheep and goats, this product has more important functions in general activity, weight gain, milk increasing as quantity and quality. This product is active in bacterial and viruses resistance increasing.

#### Dosage

1ml per 5L drinking water for up to 10 days.

For layers: 2ml per 5L drinking water for up to 10 days.

### Package

1L, can be customized



## LIVER TONIC

### Composition(per 1ml)

Sobitol......400mg Carnitine.....100mg

Betain.....30mg

Silymarin.....20mg

Inositol.....10mg

Vitamin PP.....2mg

Methonine Acetyl......25mg

Chholine Chloride......60mg

Magnesium Sulphate......50mg

Plant Extract (Boldo, Artichoke).......10mg

### Efficacy

Stimulate liver metabolism, Increase bile production and pancreatic enzymes. Regenerate the liver cells, prevent fat accumulation in liver, and metabolize cholesterol in arteries and liver.

### Dosage

For broiler, breeders, broiler, 1ml per 4 liters of drinking water

### **Package**



# FEED ADDITIVES | COUGH EXPECTORANT



## MULTI-BROMINT



### Composition (per 1mL)

Menthol.....44mg Bromhexine HCI.....20mg Thymol......10mg Eucalyptus oil.....10mg Camphor......10mg

### **Efficacy**

It is indicated for the preventation and treatment of respiratory tract infection.

E.g. Bronthitis, emphysema, silicosis, chronic lung inflammation and cough with sputum caused by bronchiectasia., etc.

### Dosage

1ml per 4 liters of drinking water. Continuous for 3-5 days.

### Package

500ml, 1L



## RESPIMINTO ORAL

### Composition(per 1ml)

Eucalyptus oil .....140mg

Peppermint oil .....60mg

L-menthol......45mg

Thyme oil......40mg

### **Efficacy**

Indicated for strengthening the respiratory system. It is restores natural activity of the respiratory epithelium and helps to remove the mucous from the bronchial tubes.

### Dosage

Poultry: 1ml per 15-20 liters of drinking water for 3-4 days.

### **Package**



# DRUGS ANTIBIOTIC



## TYLO-DOXY



### Composition(per 1kg)

Tylosin Tartrate.....200 g Doxycycline hyclate.....250 g

### **Efficacy**

Treat Pleuropneumonia, Colibacillosis, Strepto-coccosis, Mycoplasmasis, CRD, CCRD, ILT, IT caused by Mycoplasma, Hemophilus, Streptococcus, Staphylococcus.

### Dosage

Poultry: 1g per 2 L of drinking water.

Swine, sheep, goats and horse: 1g per 40kg of body weight.

Cattle: 1g per 60kg of body weight.

### Package

100g, 500g, 1kg, 5kg, 10kg



### **LINCOSPECTIN 100**



### Composition(per 1kg)

Lincomycin HCI......222 g base Spectinomycin HCI......444 g base

### **Efficacy**

Poultry: prevention and treatment of chronic airsacculitis.

Pigs: treatment of pig dysentery.

### Dosage

0.5~0.8g/liter of drinking water.

### Package

100g, 200g, 500g, 1kg, 5kg



OTC 20



Oxytetracycline hydrochloride......200g

### Efficacy

Composition(per 1kg)

For the prevention and treatment of coliform septicaemia, omphalitis, synovitis, fowl cholera, pullet disease, C.R.D. and other diseases including bacterial infections following infectious bronchitis, Newcastle disease or Coccidiosis. Also useful following vaccination and at other times of stress.

### Dosage

100 g per 150 litres of drinking water.

Continue treatment for 5-7 days.

### **Package**

100g, 500g, 1kg



**SUL-TMP 48** 



### Composition (per 1L)

Sulfadiazine Sodium ......400g Trimethoprim ...... 80g

### **Efficacy**

Gastrointestinal and respiratory infections caused by trimethoprim and sulfadiazine sensitive micro-organisms like E. coli, Haemophilus, Pasteurella, Salmonella, Staphylococcus and Streptococcus spp.

### Dosage

Calves, goats and sheep: Twice daily 5ml per 100 kg body weight for 4 - 7 days. Poultry and swine: 1L per 1500 - 2500 litres of drinking water for 4 - 7 days.

### **Package**

# DRUGS ANTIBIOTIC



### SPRI POLVO



### Composition(per 1g)

Spiramycin (from adipate).....4,300,000IU

### **Efficacy**

CRD (chicken) and infectious sinusitis (turkey).

### Dosage

Growing Poultry diseases: 0,600 g/L.

Turkeys: Medicate birds of 1 day during 5 days. Broilers: Medicate birds of 1 day

during 3 days and medicate once at 4 weeks.

Replacement Chickens: Medicate birds of 1 day during 3 days. Medicate once at 9

weeks and again at 16 weeks.

In case of outbreaks of CRD, sinusitis: Turkeys: medicated water 3 days; Chicken: medicated water 3 days and after vaccination 1 – 2 days.

### Package

100g, 500g, 1kg



### Composition(per 1mL)

### **Efficacy**

Prevention and treatment of CRD, CCRD, Infectious Coryza Colibacillosis Pullorum & Fowl Typhoid. Staphylococcal infection, secondary bacterial infections of viral outbreaks.

### Dosage

Orally through drinking water:

Prophylactic use: 1 ml/ 8 L, 3days;

Therapeutic use: 1 ml/ 2-4L.

For 3-5 days.

#### Package

100 ml, 250 ml, 500 ml, 1000ml



**TIMI 25** 



### Composition(per 1mL)

Tilmicosin......250mg

### **Efficacy**

Control and treatment of respiratory infections associated with tilmicosin-susceptible micro-organisms such as Mycoplasma spp. Pasteurella multocida, Actinobacillus pleuropneumoniae, Actinomyces pyogenes and Mannheimia haemolytica in calves, chickens, turkeys and swine.

### Dosage

Poultry:

300ml/1000 litres of drinking water for 3 days.

Calves:

Twice daily, 1ml/20kg B.W. via (artificial) milk for 3 - 5 days.

Swine:

800ml/1000 litres of drinking water for 5 days.

### **Package**

100mL, 500mL, 1L, 5L



**ENRO-COLI 100** 



### Composition(per 1kg)

Enrofloxacin......100g
Colistin sulphate......35g

#### Efficac

Prevention and treatment of respiratory problems such as CRD, CCRD, colibacillosis, fowl cholera and coryza, and gastroenteritis, Salmonellasis and E. coli infections.

### Dosage

Treatment: 1g/2liters of drinking water or 1g/1kg of feed, for 5 ~7 days. Prevention: 1g/4liters of drinking water or 1g/2kg of feed, for 3~ 5 days.

### **Package**

100g, 500g, 1Kg.



# DRUGS ANTICOCCIDIAL



### TOLTRAZURIL 1.0/2.5/5.0 LIQUID



### Composition(per 1mL)

Toltrazuril......10mg/25mg/50mg

### **Efficacy**

Anti coccidiosis of all stages like schizogony and gametogony stages of Eimeria spp. in chickens and turkeys.

### Dosage

25ppm for continuous medication over 48 hours, or 75 ppm given for 8 hours per day, on 2 consecutive days.

### **Package**

100ml, 500ml, 1000 ml



# DICLAZURIL 1.0/2.5/5.0 LIQUID

### Composition(per 1mL)

Diclazuril 10g/25g/50g

### **Efficacy**

Treatment of chicken Eimeria tenella, E.acervulina, E.necatrix, E.brunetti, E.maxima. Effectively control the emergence of the caecum coccidiosis.

### Dosage

Mixing with drinking water:

For chicken: 0.51mg(indicates the quantity of diclazuril) per litre water.

### Package

100ml, 500ml, 1000 ml



### FENBENDAZOLE PREMIX



### Composition(per 1mL)

Fenbendazole 40 mg

### **Efficacy**

For the treatment of gastrointestinal and pulmonary nematodes in the adult and immature stages.

### Dosage

Administer with the feed or on top of the feed.

### **Package**

100g, 200g, 500g, 1kg, 5kg



### Composition(per 1kg)

Salinomycin......120g

### **Efficacy**

Broad anticoccidial coverage against the six major Eimeria species, including E. acervulina, E. tenella, E. maxima, E. brunetti, E. necatrix, E. mitis in broiler chickens. Coccidia are destroyed rather than inhibited.

**SALINOMYCIN 12** 

### Dosage

Mix with feed

each 1000kg feed adding:

chicken 50-70g; cattle: 10-30g. Above all in active ingredients

### **Package**

100g, 200g, 500g, 1kg, 5kg

# DRUGS ANTIPYRETIC



### SHUANGHUANGLIAN ORAL SOLUTION



### Composition

Lonicera japonica, radix scutellariae, fructus forsythiae

### Efficacy

Treatment for bird flue and various viral disease of poultry, poultry egg syndrome, influenza, duck spleen necrosis, duck pestilence, etc.,

### Dosage

For treatment: 1L per 2000L drinking water. For prevent: 1L per 8000L drinking water.

### **Package**

500ml, 1L



## VIC-ANTIVISUAL SOLUTION



### Composition

Astragalus polysaccharide(APS), Recombinant chicken Interleukin-2 (IL-2)

### **Efficacy**

- 1. Enhance the immune effect of the vaccine.
- 2. Improve the body's anti-virus ability.
- 3. Reduce the occurrence of stress and accelerate disease recovery.

### Dosage

Mixed with drinking water: Each bottle is used for 10,000 chicks, 8,000 mid-age chickens, and 5,000 adult chickens.

### **Package**

250ml



## **DISINFECTANT**



### Composition

Nano-photocatalytic materials, HSCAS, organic acids.

### **Efficacy**

Disinfectant. Used to kill gram-negative and gram-positive bacteria, fungi, viruses and parasitic ovum, absorb of moisture and harmful gases such as ammonia, hydrogen sulfate, etc.

Improve environment, block the routes of bacterials, reduce stress response and prevent respiratory diseases. It can also be used for wound disinfection and cleaning the body of new-born animals.

### Dosage

Spray the product in the animal house evenly after turn off all of the ventilation system.

For daily preventive use, 5 g/m3, once a week

### Package

1kg, 5kg



### **POVIDONE-IODINE SOLUTION**

### Composition

Povidone Iodine 10%

### **Efficacy**

Disinfectant for livestock and poultry house disinfection, disinfection of surgical instruments and disinfection of skin and mucous membranes.

### Dosage

Regular disinfectant for environment 1:1000, spray

Epidemic situation 1:500, spray

Fish ponds 500ml/666 m<sup>2</sup>

Breeder eggs 1:1000, Soak

Pet cleaning: 1:500, medicated bath

**Package** 

1L, 5L



## BZK-PHMB SOLUTION

### Composition

Glutaraldehyde 10%

Benzalkonium bromide 10%

### **Efficacy**

Broad spectrum disinfectant and effective for both gram positive and G-negative bacteria and majority of viruses, spores, algae and fungi., etc.

### Dosage

Diluted in water.

Livestock farm houses: 4ml/ Liter;

Foot dip/Harcher/Incubator/Egg nests/Floors: 40ml/ Liter;

Farm vehicles: 10ml/ Liter Plastic equipments: 20ml/ Liter Metal equipments: 10ml/ Liter Drinking water: 0.1ml/ Liter

**Package** 1L, 5L



## POTASSIUM MONOPERSULFATE



### Composition

Potassium Monopersulphate Compound 50%

### **Efficacy**

Effective against bacteria, fungi, moulds and all virus families, effecting on poul-

try, livestock, fisheries, equine and human healthcare facilities.

Biodegradable. Effective against biofilms.

### Dosage

Air and Surface Disinfection: 2.5g/Litre Routine Water Sanitation: 1g/ 5 Litre During Disease Outbreak: 1g/Litre

Aquaculture farming, water disinfectant: 0.3-0.5g/Litre

### **Package**

5kg/drum